

## Contents

Foreword . . . . .	v
<i>PLENARY LECTURES</i>	
Magnetization process in nanocrystalline ferromagnets . . . . . G. Herzer (Hanau, F.R.G.)	1
Production and properties of light-metal-based amorphous alloys . . . . . A. Inoue and T. Masumoto (Sendai, Japan)	6
Interrelations between electronic and ionic structures in metallic glasses . . . . . P. Haüssler (Karlsruhe, F.R.G.)	10
Grain refinement in rapidly solidified alloys . . . . . A. L. Greer (Cambridge, U.K.)	16
Recent studies of chemical properties of amorphous alloys . . . . . K. Hashimoto, N. Kumagai, H. Yoshioka, H. Habazaki, A. Kawashima, K. Asami and B.-P. Zhang (Sendai, Japan)	22
The structure of amorphous and nanocrystalline metals and alloys . . . . . C. N. J. Wagner and M. S. Boldrick (Los Angeles, CA, U.S.A.)	26
Modelling of growth and microstructure selection in rapid solidification: a progress report . . . . . H. Jones (Sheffield, U.K.)	33
Atomic dynamics of metallic glasses and icosahedral alloys (quasicrystals) . . . . . J.-B. Suck (Karlsruhe, F.R.G.)	40
<i>ELECTRICAL PROPERTIES</i>	
Influence of conduction electrons on tunneling states in amorphous metals . . . . . G. Weiss (Heidelberg, F.R.G.)	45
Thermal properties of amorphous metals . . . . . H. v. Löhneysen (Karlsruhe, F.R.G.)	51
Electron transport properties of pseudo-binary amorphous transition metal-simple metal (Al) alloys . . . . . T. A. Stephens, D. Rathnayaka and D. G. Naugle (College Station, TX, U.S.A.)	59
Electronic transport properties of Ni-Ta metallic glasses . . . . . T. Richmond, L. Rohr, P. Reimann, G. Leemann and H.-J. Güntherodt (Basel, Switzerland)	63
Evidence for failure of the Faber-Ziman theory and application of Edwards' self-consistent Green function theory to the electron transport in sp-electron amorphous and quasicrystalline metals . . . . . M. Itoh, A. Ishida, T. Nagata (Matsue, Japan), H. Sato, T. Matsuda (Kariya, Japan), T. Fukunaga, A. Kamiya and U. Mizutani (Nagoya, Japan)	67
The Faber-Ziman resistivity of amorphous $Mg_xZn_{1-x}$ . . . . . M. From and W. B. Muir (Montreal, Que., Canada)	72
Hall effect in Ni-based amorphous alloys . . . . . J. Ivkov, E. Babić (Zagreb, Yugoslavia) and H. H. Liebermann (Parsippany, NJ, U.S.A.)	76
Effect of the broadening of the spectral distribution on the Hall coefficient of amorphous metals . . . . . M. Itoh, A. Ishida and T. Nagata (Matsue, Japan)	80
Strong depression of $T_c$ in superconducting disordered $Cu_{50}Zr_{50}$ with dilute magnetic impurities . . . . . A. Nordström, L. Hedman and Ö. Rapp (Stockholm, Sweden)	85
Limits to weak localization in $Ca_{70}Mg_{30-x}Al_x$ . . . . . D. V. Baxter, A. N. Fadnis (Bloomington, IN, U.S.A.) and A. Sahnoune (Montreal, Que., Canada)	90
Electrical resistivities of stable quasicrystals . . . . . K. Kimura, K. Kishi, T. Hashimoto, S. Takeuchi (Tokyo, Japan) and T. Shibuya (Kawagoe-shi, Japan)	94
Temperature dependence of magnetoresistance of amorphous $Fe_{80-x}V_xB_{14}Si_6$ . . . . . S. U. Jen (Taipei, Taiwan) and S. T. Lin (Tainan, Taiwan)	98

## CONTENTS (continued)

On the resistivity minimum in metallic glasses . . . . .	101
A. Gupta, R. Gupta, S. Lal (Indore, India), A. K. Nigam and G. Chandra (Bombay, India)	
D-wave phase shift of a Cu-Zr metallic glass system under pressure . . . . .	104
S. H. Han (Stockholm, Sweden), R. Y. Jin, H. Han and B.-G. Shen (Beijing, China)	
Systematics in the electronic structure of amorphous transition metal/tin alloys . . . . .	107
H.-G. Boyen, G. Indlekofer, P. Oelhafen (Basel, Switzerland), P. Häussler (Frankfurt, F.R.G.), F. Baumann (Karlsruhe, F.R.G.) and V. L. Moruzzi (Yorktown Heights, NY, U.S.A.)	
Electronic structure and transport properties of sp-electron quasicrystals in comparison with the Frank-Kasper crystals and amorphous alloys . . . . .	111
U. Mizutani, A. Kamiya (Nagoya, Japan), T. Matsuda (Kariya-shi, Japan) and S. Takeuchi (Tokyo, Japan)	
Electronic structure of $Mg_xZn_{100-x}$ , $Zn_xCa_{100-x}$ , and $Ca_{13}Mg_{87}$ metallic glasses ( $x \approx 30, 50, 70$ ) . . . . .	115
P. Häussler, R. Zehringer, P. Oelhafen and H.-J. Güntherodt (Basel, Switzerland)	
Electronic structure of disordered bismuth alloys: a comparison of the amorphous with the liquid state . . . . .	120
P. Häussler, G. Indlekofer, H.-G. Boyen, P. Oelhafen and H.-J. Güntherodt (Basel, Switzerland)	
Comparison between electrical resistivity and magnetic anisotropy in a partially crystallized $Fe_{78}B_{13}Si_9$ amorphous alloy . . . . .	124
P. Allia, M. Baricco and F. Vinai (Turin, Italy)	
High $T_c$ superconductors prepared by rapid quenching and directional annealing . . . . .	127
T. Yamamoto, M. Stubicar, S. K. Chan, J. G. Lu, T. R. S. Prasanna and R. C. O'Handley (Cambridge, MA, U.S.A.)	
<b>MAGNETIC PROPERTIES</b>	
Induced anisotropy and magnetostriction in $Co_{70.4}Fe_{4.6}Si_{15}B_{10}$ . . . . .	132
A. M. Severino, A. D. Santos and F. P. Missell (São Paulo, Brazil)	
Correlation between domain structure and permeability under stress in metallic glasses with induced anisotropy . . . . .	136
A. Siemko, J. Fink-Finowicki, A. Ślowska-Waniewska and M. Kúźmiński (Warsaw, Poland)	
Reversible and irreversible domain wall movement in Metglas® amorphous ribbons . . . . .	140
J. T. S. Irvine (Aberdeen, U.K.), E. Amano and R. Valenzuela (Mexico, D.F., Mexico)	
High coercivities in mechanically alloyed Sm-Fe-X magnets . . . . .	143
L. Schultz, K. Schnitzke, J. Wecker and M. Katter (Erlangen, F.R.G.)	
High coercivity in Sm-Fe-Ti alloys by rapid solidification . . . . .	147
J. Wecker, M. Katter and L. Schultz (Erlangen, F.R.G.)	
Comparison of melt-spun $Nd_4Fe_{77}B_{19}$ with neodymium-rich isotropic permanent magnets . . . . .	151
K.-H. Müller, J. Schneider, A. Handstein, D. Eckert, P. Nothnagel (Dresden, F.R.G.) and H. R. Kirchmayr (Vienna, Austria)	
Magnetic properties of melt-spun $(Y_{1-x}Sm_x)_{0.6}Zr_{0.4}Fe_{2.9}$ . . . . .	154
M. Katter, J. Wecker and L. Schultz (Vienna, Austria)	
The fabrication of fine metallic fibers by continuous melt-extraction and their magnetic and mechanical properties . . . . .	158
P. Rudkowski, G. Rudkowska and J. O. Strom-Olsen (Montreal, Que., Canada)	
Magnetic moment, Curie temperature, and coercive field for amorphous $(Fe_{1-x}Nd_x)_{81.5}B_{18.5}$ alloys . . . . .	162
B.-G. Shen, J.-X. Zhang, L.-Y. Yang, H.-Q. Guo and J.-G. Zhao (Beijing, China)	
Magnetic properties and crystallization of amorphous $Co_{100-x-y}B_xZr_y$ alloys . . . . .	165
B.-G. Shen, H.-Q. Guo, L.-Y. Yang and J.-G. Zhao (Beijing, China)	
Evidence for the reversible structural transformation in amorphous $Fe_{18}Co_{72}Zr_{10}$ . . . . .	169
R.-F. Xu, H.-Q. Guo, B.-G. Shen, J.-G. Zhao and Z. Zhang (Beijing, China)	
Magnetic properties and grain structure of nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy . . . . .	172
W. Gawior, R. Kolano and N. Wójcik (Gliwice, Poland)	
Magnetic properties of Fe-Cu-M-Si-B (M = Cr, V, Mo, Nb, Ta, W) alloys . . . . .	176
Y. Yoshizawa and K. Yamauchi (Saitama, Japan)	
Displaced hysteresis loops of cobalt-based amorphous alloys . . . . .	180
K. Yamauchi and Y. Yoshizawa (Saitama, Japan)	
Saturation magnetostriction of amorphous tapes with $\lambda_s > 0$ and $\lambda_s \approx 0$ after relaxation by conventional and rapid dynamic current annealing . . . . .	184
M. A. Escobar, A. R. Yavari (St. Martin d'Hères, France), E. T. de Lacheisserie (Grenoble, France) and J. Gonzales (San Sebastian, Spain)	

## CONTENTS (continued)

Effects of crystallization on magnetic domain structure of amorphous $\text{Fe}_{78}\text{B}_{13}\text{Si}_9$ alloy . . . . .	188
A. R. Bhatti (Oxford, U.K.)	
Distinction of different types of pinning centers in metallic glasses . . . . .	192
J. Horvat, E. Babić, Ž. Marohnić (Zagreb, Yugoslavia) and H. H. Liebermann (Parsippany, NJ, U.S.A.)	
Magnetic susceptibility and DSC study of the crystallization of melt-quenched Ni-P amorphous alloys . . . . .	196
E. Wachtel, I. Bakonyi, J. Bahle, N. Willmann (Stuttgart, F.R.G.), A. Lovas (Budapest, Hungary), A. Burgstaller, W. Socher, J. Voithländer (Munich, F.R.G.) and H. H. Liebermann (Parsippany, NJ, U.S.A.)	
Effect of antiferromagnetically coupled species on Curie temperature during relaxation of metallic glasses . . . . .	200
T. Tarnoczi (Budapest, Hungary)	
Effect of thickness on texture and magnetic properties of melt-spun Fe 6.5 wt.% Si ribbons . . . . .	204
M. Pott-Langemeyer, W. Riehemann and W. Heye (Clausthal-Zellerfeld, F.R.G.)	
High frequency magnetic properties of an amorphous $\text{Fe}_{78}\text{B}_{13}\text{Si}_9$ ribbon improved by a.c. Joule heating . . . . .	209
D.-R. Huang and J. C. M. Li (Rochester, NY, U.S.A.)	
Magnetic properties of planar flow cast amorphous $\text{Fe}_{78}\text{B}_{13}(\text{Si}, \text{Cr}, \text{Mo})_9$ and $\text{Fe}_{82}\text{B}_{12}(\text{Si}, \text{Cr})_6$ alloys . . . . .	213
S. Budurov, P. Kovatchev, S. Toncheva, M. Lazarova and L. Sapundzhiev (Sofia, Bulgaria)	
Magnetic properties of amorphous $(\text{Fe}_{1-x}\text{Ni}_x)_{75}\text{Si}_{10}\text{B}_{15}$ alloys . . . . .	216
K.-S. Kim, J.-I. Lee, S.-C. Yu (Cheongju, Korea), Y.-Y. Kim and W.-Y. Lim (Seoul, Korea)	
Influence of magnetothermal treatment on magnetomechanical coupling in $\text{Fe}_{79}\text{Cr}_{6.6}\text{B}_{14.4}$ metallic glass . . . . .	220
Z. Kaczkowski (Warsaw, Poland), É. Kisdi-Koszó (Budapest, Hungary) and L. Potocký (Košice, Czechoslovakia)	
Magnetomechanical coupling and $\Delta E$ effect in $\text{Fe}_{80.2}\text{Cr}_{2.8}\text{Si}_{3.8}\text{B}_{14}$ metallic glass . . . . .	223
P. Duhaj (Bratislava, Czechoslovakia) and Z. Kaczkowski (Warsaw, Poland)	
Magnetic clusters in melt-spun La-Fe alloys . . . . .	226
S. Kondo (Nagasaki, Japan), E. Kita (Tukuba, Japan), K. Siratori (Osaka, Japan) and H. Ino (Tokyo, Japan)	
Magnetic properties of amorphous $(\text{Fe}_x\text{Ni}_{100-x})_{100-y}(\text{Si}_{30}\text{B}_{70})_y$ alloys . . . . .	229
G. Ilonca (Cluj-Napoca, Romania) and N. Botezan (Zalău, Romania)	
Effect of flash- and furnace annealing on the magnetic and mechanical properties of metallic glasses . . . . .	232
T. Kulik and H. Matyja (Warsaw, Poland)	
Effect of ribbon dimensions on the magnetic properties of metallic glasses . . . . .	236
T. Kulik, J. Latuszkiewicz and H. Matyja (Warsaw, Poland)	
Structural and magnetic properties of rapidly quenched Bi-Mn alloys . . . . .	241
C. S. Lakshmi and R. W. Smith (Kingston, Ont., Canada)	
Magnetic properties of Co-Y amorphous alloys prepared by milling . . . . .	245
K. Fukamichi (Sendai, Japan), T. Goto (Tokyo, Japan), T. Fukunaga (Nagoya, Japan) and K. Suzuki (Sendai, Japan)	
Clustering in TM-M-B metallic glasses . . . . .	248
A. Lovas, É. Kisdi-Koszó, É. Zsoldos (Budapest, Hungary), L. Potocký, L. Novák, J. Kováč and M. Hrabčák (Košice, Czechoslovakia)	
Correlation between the structure and the magnetic properties of $\text{Gd}_4\text{Me}_3$ metallic glasses ( $\text{Me} = \text{Al}, \text{Cu}$ ) . . . . .	252
V. Petkov, V. Skumryev and A. Apostolov (Sofia, Bulgaria)	
<b>MECHANICAL PROPERTIES</b>	
Processing, structure and performance of RS "classical" silver-base brazing alloys . . . . .	256
A. Rabinkin, F. Reidinger, J. Marti (Parsippany, NJ, U.S.A.) and L. Bendersky (NIST, MD, U.S.A.)	
Calculation of the shear modulus properties of amorphous alloys . . . . .	261
G. Knuyt, L. M. Stals, L. De Schepper and W. De Ceuninck (Diepenbeek, Belgium)	
The microstructure and properties of water atomized and extruded Cu-Cr alloy powders . . . . .	265
J. B. Correia, H. A. Davies, C. M. Sellars (Sheffield, U.K.), J. Sainz, I. Gutiérrez, F. Castro and M. Fuentes (San Sebastian, Spain), N. Shohoji and H. Carvalhinhos (Lisbon, Portugal)	
Extrusion and swaging of rapidly quenched aluminium powders: microstructure and mechanical properties . . . . .	270
S. Hodiamont, M. Peters and W. Bunk (Cologne, F.R.G.)	
The effects of aging on the properties of a rapidly solidified Al-Li-Mg-Zr alloy . . . . .	274
G.-F. Yu, S.-Q. Zhang, Y.-S. Feng and S.-C. Chai (Beijing, China)	



## CONTENTS (continued)

Microstructure and mechanical properties of melt atomized and rapidly solidified ultrahigh boron alloy steels . . . . .	279
G. Frommeyer, U. Giegel and H.-J. Speis (Dusseldorf, F.R.G.)	
Property enhancement in Type 316L stainless steel by spray forming . . . . .	284
I. Üçok, T. Ando and N. J. Grant (Cambridge, MA, U.S.A.)	
New heat resistant tool materials produced from devitrified amorphous Fe-Cr-Mo-C-B and Fe-Cr-Mo-C-V powders. . . . .	288
L. Arnberg, E. Larsson, S. Savage (Stockholm, Sweden), A. Inoue, S. Yamaguchi and M. Kikuchi (Sendai, Japan)	
Mechanical properties of Fe-4.5-6.5wt.%Si double roller ribbons . . . . .	292
H. Seifert (Jena, F.R.G.), M. Jurisch, J. Tobisch and C.-G. Oertel (Dresden, F.R.G.)	
Structural and mechanical properties of spray formed cast-iron . . . . .	297
S. Ebalard and M. Cohen (Pont-à-Mousson, France)	
Effect of preparation technique and atmosphere on the mechanical properties of bulk amorphous alloy compacts . . . . .	301
M. Takagi (Aichi, Japan), Y. Kawamura (Sendai, Japan), H. Saka (Nagoya, Japan) and T. Imura (Toyota, Japan)	
Characterization and properties of new shape memory alloys in the Ni-Fe-Al system . . . . .	307
M. Wallin, P. Johansson and S. Savage (Stockholm, Sweden)	
Hydrogen in titanium-based metallic glasses . . . . .	312
D. Menzel, A. Niklas and U. Köster (Dortmund, F.R.G.)	
Amorphization of intermetallic compounds by hydrogen absorption . . . . .	316
K. Aoki, X.-G. Li, T. Aihara and T. Masumoto (Sendai, Japan)	
Elastic properties of nickel-based metallic glasses . . . . .	321
A. Kuršumović (Sarajevo, Yugoslavia), E. Babić (Zagreb, Yugoslavia) and H. H. Liebermann (Parsippany, NJ, U.S.A.)	
Mechanical and magnetic relaxation in ferromagnetic amorphous ribbons . . . . .	325
C. Beatrice, F. Vinai, P. Allia (Turin, Italy) and E. Bonetti (Bologna, Italy)	
Thermally induced restoration of the ductility of brittle amorphous alloys . . . . .	328
F. P. Schimansky, R. Gerling and R. Wagner (Geesthacht, F.R.G.)	
Cyclic deformation and tribological behavior of an amorphous iron-based alloy film . . . . .	332
T. Imura, K. Hasegawa, M. Moori, T. Nishiwaki (Kanja, Japan), M. Takagi (Kanja, Japan) and Y. Kawamura (Sendai, Japan)	
Determination of the attempt frequency for relaxation phenomena in amorphous metals . . . . .	337
W. De Ceuninck, G. Knuyt, H. Stulens, L. De Schepper and L. M. Stals (Diepenbeek, Belgium)	
A new explanation for the linear increase of viscosity with time in amorphous alloys. . . . .	340
G. Knuyt, L. M. Stals, L. De Schepper and W. De Ceuninck (Diepenbeek, Belgium)	
<b>RELAXATION AND KINETICS</b>	
How to use calorimetry to distinguish a microcrystalline structure from an amorphous structure. . . . .	342
L. C. Chen and F. Spaepen (Cambridge, MA, U.S.A.)	
Crystallization in amorphous NiZr <sub>2</sub> , studied by HRTEM . . . . .	346
C. Beeli, H.-U. Nissen (Zurich, Switzerland), Q. Jiang and R. Lück (Stuttgart, F.R.G.)	
Composition dependence of thermal stability and crystallization behavior of Ni <sub>24</sub> (Zr-M) <sub>76</sub> amorphous alloys . . . . .	353
G. Ghosh (Evanston, IL, U.S.A.) and L. Delaey (Heverlee, Belgium)	
Crystallization kinetics of amorphous Cu-Ni-P alloys . . . . .	359
R. Adlwarth-Dieball and P. L. Ryder (Bremen, F.R.G.)	
The effect of hydrostatic pressure on the surface crystallization of amorphous ribbons . . . . .	363
A. Slawska-Waniewska, A. Witek and A. Reich (Warsaw, Poland)	
Crystallization of amorphous Al <sub>85</sub> Ni <sub>10</sub> Ce <sub>5</sub> alloy . . . . .	367
R. F. Cochrane, P. Schumacher and A. L. Greer (Cambridge, U.K.)	
Crystallization of hydrogen-containing Co <sub>33</sub> Zr <sub>67</sub> : an internal friction study . . . . .	371
H.-R. Sinning, M. M. Nicolaus and F. Haessner (Braunschweig, F.R.G.)	
Kinetics of surface crystallization in the metallic glass Fe <sub>78</sub> Si <sub>9</sub> B <sub>13</sub> . . . . .	375
A. Gupta and S. Habibi (Indore, India)	
Crystallization and stability of pseudo-binary amorphous transition metal-simple metal alloys. . . . .	379
R. Pan, C. C. Hays, D. G. Naugle and K. Rhie (College Station, TX, U.S.A.)	

## CONTENTS (continued)

About the Al-Cu-Fe icosahedral phase formation . . . . .	383
F. Faudot, A. Quivy, Y. Calvayrac, D. Gratias and M. Harmelin (Vitry-sur-Seine, France)	
Decomposition of the icosahedral phase in Al-Cu-Fe alloys . . . . .	388
W. Liu and U. Köster (Dortmund, F.R.G.)	
Quasicrystal formation and phase transitions by ball milling . . . . .	393
J. Eckert, L. Schultz (Erlangen, F.R.G.) and K. Urban (Jülich, F.R.G.)	
The study of phase transformations in nanocrystalline materials . . . . .	398
P. Duhaj, P. Švec, D. Janičkovič and I. Maňko (Bratislava, Czechoslovakia)	
Structural relaxation and the glass transition in a metallic glass . . . . .	403
J. O. Ström-Olsen, D. H. Ryan, Z. Altounian (Montreal, Que., Canada) and R. Brünig (Augsburg, F.R.G.)	
Diffusion and structural-relaxation mechanisms in metallic glasses . . . . .	410
H. Kronmüller, W. Frank and A. Hörner (Stuttgart, F.R.G.)	
Indiffusion of cobalt in amorphous Co-Zr . . . . .	415
L.-U. Aaen Anderson, J. Böttiger, J. Janting, N. Karpe, K. K. Larsen (Aarhus, Denmark), A. L. Greer and R. E. Somekh (Cambridge, U.K.)	
Glass transition and viscous flow behavior of amorphous Fe-M-P (M = Cr, V or Mo) alloys . . . . .	418
W.-N. Myung, S.-J. Yang, H.-G. Kim (Kwangju, Korea) and T. Masumoto (Sendai, Japan)	
Molecular-dynamics study of the glass transition in Ni <sub>80</sub> P <sub>20</sub> . . . . .	423
L. J. Lewis (Montreal, Que., Canada)	
Comparison between the melting and the crystal-to-glass transition . . . . .	427
H. J. Fecht (Augsburg, F.R.G.) and W. L. Johnson (Pasadena, CA, U.S.A.)	
Chemical ordering in undercooled Cr <sub>40</sub> Ti <sub>60</sub> $\beta$ -phases . . . . .	431
A. Blatter (Berne, Switzerland) and W. Bührer (Würenlingen, Switzerland)	
Thermodynamic properties of supercooled compound forming liquid alloys . . . . .	434
F. Sommer (Stuttgart, F.R.G.)	
Thermodynamic constraints on non-equilibrium solidification of ordered intermetallic compounds . . . . .	438
W. J. Boettinger (Gaithersburg, MD, U.S.A.)	
Free energy functions of undercooled liquid glass-forming Au-Pb-Sb alloys . . . . .	443
H. J. Fecht (Augsburg, F.R.G.)	
Influence of planar flow casting conditions on the thermal stability and Curie points of amorphous Fe <sub>70</sub> B <sub>14</sub> Si <sub>7</sub> alloys . . . . .	448
S. Budurov, M. Lazarova (Sofia, Bulgaria), G. Stephani and H. Fiedler (Dresden, F.R.G.)	
The glass-forming region in the Ni-P system and thermal stability of the glasses obtained . . . . .	452
S. Budurov, V. Fotty and S. Toncheva (Sofia, Bulgaria)	
The glass-forming ability in the ternary Ni-Co-P and Ni-Cu-P systems . . . . .	455
S. Budurov, V. Fotty, S. Toncheva and R. Kovacheva (Sofia, Bulgaria)	
Crystallization of amorphous Cu-Ni-Si-B alloys . . . . .	458
F. Schaefer and P. L. Ryder (Bremen, F.R.G.)	
Investigation of the thermal stability and crystallization process of amorphous Hf <sub>0.67</sub> Ti <sub>0.33-x</sub> M <sub>x</sub> alloys, with T = Co or Ni, M = P or Si, by DSC, DTA and X-ray diffraction techniques . . . . .	462
K. Jansson and M. Nygren (Stockholm, Sweden)	
A metastable b.c.c. phase and its decomposition behavior in rapidly solidified Ni-10at.%Zr and Ni-8at.%Zr-1at.%X alloys . . . . .	468
G. Ghosh, F. R. Chen (Evanston, IL, U.S.A.), M. Chandrasekaran (Delhi, India) and L. Delaey (Heverlee, Belgium)	
Effect of cobalt on the crystallization of Ni <sub>50</sub> Zr <sub>50</sub> amorphous alloys . . . . .	475
A. Cziráki, Zs. Kasztovszky, I. Geröcs, B. Fogarassy, I. Groma, N. O. Chinh and A. Lovas (Budapest, Hungary)	
Isothermal crystallization of amorphous Fe <sub>78</sub> B <sub>13</sub> Si <sub>9</sub> . . . . .	479
S. U. Jen (Taipei, Taiwan)	
X-ray study of the crystallization processes in amorphous (Zr <sub>0.64</sub> Ni <sub>0.36</sub> ) <sub>1-x</sub> Al <sub>x</sub> alloys . . . . .	482
W. D. Bruton, T. O. Callaway, R. H. Langley (Nacogdoches, TX, U.S.A.), B. H. Zhang and D. G. Naugle (College Station, TX, U.S.A.)	

## CONTENTS (continued)

Influence of germanium-clustering on the precipitation behaviour of rapidly solidified Al-Ge solid solutions. . . . .	486
M. Schmücker and U. Köster (Dortmund, F.R.G.)	
Thermal and structural investigation of the devitrification of the melt-spun Fe-Nd-B alloys . . . . .	490
A. Jha (Uxbridge, U.K.), R. A. Buckley and H. A. Davies (Sheffield, U.K.)	
The role of X on the properties of Fe-X-B-Si metallic glasses . . . . .	495
V. R. V. Ramanan (Morristown, NJ, U.S.A.)	
Activation energies for crystal nucleation and growth in amorphous alloys . . . . .	500
K. Lu and J. T. Wang (Shenyang, China)	
A new crystallization micromechanism for amorphous alloys . . . . .	504
K. Lu and J. T. Wang (Shenyang, China)	
Electron microscope studies of phase transformations in rapidly solidified MnBi alloys . . . . .	509
X. Guo, A. Zaluska, Z. Altounian and J. O. Strom-Olsen (Montreal, Que., Canada)	
Crystallization characteristics and viscous flow behavior of WC/amorphous Ni <sub>73</sub> Si <sub>10</sub> B <sub>17</sub> metal matrix composites . . . . .	513
W.-N. Myung, S.-J. Yang, H.-G. Kim, J.-B. Lee (Kwangju, Korea) and T. Masumoto (Sendai, Japan)	
Direct evidence of two different structural relaxation processes in amorphous FeNiCrPB . . . . .	518
J. Sietsma (Delft, The Netherlands) and M. Baricco (Turin, Italy)	
Structural relaxation of Pd <sub>82</sub> Si <sub>18</sub> and Cu <sub>53.5</sub> Zr <sub>44.3</sub> Nb <sub>2.2</sub> glassy systems . . . . .	523
Ľ. Kubičár, J. Spišiak and P. Duhaj (Bratislava, Czechoslovakia)	
Glass and Curie temperatures of metallic glasses . . . . .	526
C. L. Tsai (St. Paul, MN, U.S.A.)	
Study of the structural relaxation of Pd <sub>82</sub> Si <sub>18</sub> metallic glass by thermal expansion and viscous flow measurements. . . . .	529
L. Stojanova, K. Russev (Sofia, Bulgaria) and E. Illekova (Bratislava, Czechoslovakia)	
Viscous flow, thermal expansion and phase separation of Fe <sub>40</sub> Ni <sub>40</sub> Si <sub>6</sub> B <sub>14</sub> amorphous alloy. . . . .	532
K. Russev, L. Stojanova (Sofia, Bulgaria), A. Lovas and G. Konzcos (Budapest, Hungary)	
The influence of quenching temperature on the structure and properties of amorphous alloys . . . . .	535
V. P. Manov, S. I. Popel, P. I. Buler, A. B. Manukhin and D. G. Komlev (Sverdlovsk, U.S.S.R.)	
The measurement of very early low-temperature relaxation in the amorphous system (Fe(40)Ni(40)Si(14)B(6)) . . . . .	541
E. Girt, G. Knezevic, R. Baltic, Er. Girt (Sarajevo, Yugoslavia) and S. Bikic (Zenica, Yugoslavia)	
Relaxation in amorphous materials: A new approach. . . . .	544
I. Pócsik (Budapest, Hungary)	
Anisotropic (CoFeNi) <sub>78</sub> (SiB) <sub>22</sub> glasses: rheology and relaxation analysis. . . . .	547
F. A. Kuhnast, A. Aharoune and Ch. Cunat (Vandoeuvre-les-Nancy, France)	
Solid state amorphization of RE-TM (RE = Ce, Er and TM = Fe, Co) multilayers . . . . .	551
M. Matsuura (Miyagi, Japan), R. Petkie, G. Singco and K. N. Tu (Yorktown Heights, NY, U.S.A.)	
Thermal properties of nanocrystalline and amorphous Fe-B alloys made by mechanical alloying . . . . .	555
A. Calka, A. P. Radlinski (Canberra, ACT, Australia) and R. Shanks (Melbourne, Vic., Australia)	
Some peculiarities of the atomic structure of metallic phases formed during liquid quenching and solid state reactions . . . . .	560
Yu. A. Skakov, N. P. Djakonova, N. V. Edneral, M. R. Koknaeva and V. K. Semina (Moscow, U.S.S.R.)	
Differential thermal analysis of hydrogen-induced amorphization in C 15 Laves compounds GdM <sub>2</sub> (M = Fe, Co, Ni) . . . . .	565
K. Aoki, X.-G. Li and T. Masumoto (Sendai, Japan)	
Undercooling experiments on quasicrystal-forming melts . . . . .	569
S. Ebalard, F. Spaepen (Cambridge, MA, U.S.A.), R. F. Cochrane and A. L. Greer (Cambridge, U.K.)	
Rapid solidification of Ag-Cu and Ag-Pb alloys . . . . .	574
N. Jacobson (Stockholm, Sweden)	
Solid-liquid interfacial free energy . . . . .	577
L. Gránásy and M. Tegze (Budapest, Hungary) and A. Ludwig (Düsseldorf, F.R.G.)	
Test of the adiabatic nucleation model in metallic glasses . . . . .	581
V. de Barros Brasil and E. Meyer (Rio de Janeiro, Brazil)	



## CONTENTS (continued)

An experimental study of thermodynamic properties in a ZBLAN glass-forming system. . . . .	584
L. Battezzati and M. Baricco (Turin, Italy)	
Effect of molybdenum substitution on B2 antiphase domain formation in rapidly solidified Fe-Al-Mo alloys . . . . .	588
U. Prakash, R. A. Buckley and H. Jones (Sheffield, U.K.)	
Disorder trapping in $\text{Ni}_2\text{TiAl}$ . . . . .	592
W. J. Boettinger, L. A. Bendersky, J. Cline (Gaithersburg, MD, U.S.A.), J. A. West and M. J. Aziz (Cambridge, MA, U.S.A.)	
Microstructural investigation of a rapidly solidified Fe-Si-C alloy . . . . .	596
Y. C. Chen, C. M. Chen, K. C. Su (Hsinchu, Taiwan) and K. Yang (Tainan, Taiwan)	
Nanostructure determination of a splat-cooled and laser-quenched $\text{Nb}_{40}\text{Ni}_{60}$ alloy by scanning tunneling microscopy . . . . .	601
L. Scandella, U. Staufer, D. Brodbeck, P. Reimann, H.-J. Guntherodt (Basel, Switzerland), R. Zehringer, R. Hauert and E. M. Moser (Dübendorf, Switzerland)	
Electron microscopic study of Cr-Ti alloys . . . . .	606
R. Prasad, R. E. Somekh and A. L. Greer (Cambridge, U.K.)	
Nanocrystalline materials by crystallization of metal-metalloid glasses . . . . .	611
U. Koster, U. Schünemann, M. Blank-Bewersdorff (Dortmund, F.R.G.), S. Brauer, M. Sutton (Montreal, Que., Canada) and G. B. Stephenson (Yorktown Heights, NY, U.S.A.)	
Solidification mechanism of Cr-Ni steel with 8% Mo . . . . .	616
H. Shahani and H. Fredriksson (Stockholm, Sweden)	
A TEM study of the microstructure of Fe-6.25wt.%Si ribbons prepared by twin roller quenching . . . . .	620
M. Lonhardt, M. Jurisch, U. Böttcher and A. Luft (Dresden, F.R.G.)	
Influence of an oxygen atmosphere and surface treatments on surface crystallization of (Co,Ni)-B glasses . . . . .	624
G. Steinbrink, B. Punge-Witteler and U. Köster (Dortmund, F.R.G.)	
Surface crystallization of $\text{Fe}_{80}\text{B}_{20}$ metallic glass ribbons . . . . .	630
D. Oleszak, P. Glijer and H. Matyja (Warsaw, Poland)	
Evidence for amorphization in Ni-Ti multilayers from electrical resistivity changes . . . . .	636
A. van der Graaf, M. A. Hollanders, B. J. Thijssse and E. J. Mittemeijer (Delft, The Netherlands)	
New metastable carbides produced by crystallization of amorphous Cr-C alloys . . . . .	640
E. Bouzy, G. le Caer and E. Bauer-Grosse (Nancy, France)	
Stability of rapidly solidified Cu-Y and Cu-Y-B alloys . . . . .	644
E. Batawi and D. G. Morris (Neuchâtel, Switzerland)	
Determining the parameters of the Fulcher-Vogel equation from equilibrium viscosity data . . . . .	649
P. A. Duine, J. Sietsma and A. van den Beukel (Delft, The Netherlands)	
<b>PROCESSING</b>	
Numerical analysis of the casting wheels of foil and strip casting machines . . . . .	653
E. Vogt, H. Schenk and H. Gellenbeck (Hemer-Sundwig, F.R.G.)	
Influence of $\text{CO}_2$ gas flow around the melt puddle on the surface roughness of Fe-B-Si ribbons . . . . .	657
H. Fiedler, L. Illgen, M. Barth and G. Stephani (Dresden, F.R.G.)	
The study of phase transitions in amorphous bilayers prepared by rapid quenching . . . . .	662
P. Duhaj, P. Švec, E. Majková, V. Boháč and I. Matko (Bratislava, Czechoslovakia)	
Direct casting of continuous fibres and wires by in-rotating-liquid spinning . . . . .	667
B. Heyder and G. Frommeyer (Düsseldorf, F.R.G.)	
Thin strip casting by a twin roller pilot plant . . . . .	671
H. Fiedler, M. Jurisch, P. Preiss, R. Göbel, G. Sickert, H. Zimmermann, W. Neumann and R. Sellger (Dresden, F.R.G.)	
Melt overflow process for direct cast fiber, ribbon and strip . . . . .	676
T. A. Gaspar and L. E. Hackman (Gahanna, OH, U.S.A.)	
Fundamentals of fibre formation during melt extraction . . . . .	680
G. Lotze, G. Stephani, W. Loser and H. Fiedler (Dresden, F.R.G.)	
Production of sputtering target by powder metallurgy processing using Fe-Al-Si gas-atomized powder . . . . .	684
A. Yanagitani, M. Murakami, K. Yanagimoto and Y. Tanaka (Himeji, Japan)	

## CONTENTS (continued)

Flaky amorphous powders in Fe-, Co- and Al-based systems prepared by a two-stage quenching technique . . . . .	688
M. Oguchi (Okaya, Japan), A. Inoue and T. Masumoto (Sendai, Japan)	
Characterization of Ni-Cu alloy powders produced by the atomization process . . . . .	692
L. Salgado, F. Ambrózio Filho, M. D. M. das Neves, E. J. G. Pola and O. C. de Souza (São Paulo, Brazil)	
Dendrite growth velocities in undercooled Ni-Si alloys . . . . .	698
R. F. Cochrane, A. L. Greer (Cambridge, U.K.), K. Eckler and D. M. Herlach (Cologne, F.R.G.)	
Non-equilibrium solidification in undercooled Ni-B alloys . . . . .	702
K. Eckler, R. F. Cochrane, D. M. Herlach and B. Feuerbacher (Cologne, F.R.G.)	
Grain refinement in drop-tube-processed nickel-based alloys . . . . .	706
R. F. Cochrane (Cambridge, U.K.), D. M. Herlach and B. Feuerbacher (Cologne, F.R.G.)	
Quenching and supercooling of tungsten and tantalum droplets . . . . .	711
V. Soares, L. Rinderer (Lausanne, Switzerland) and E. Meyer (Rio de Janeiro, Brazil)	
Refractory metallic glasses . . . . .	715
L. Rohr, P. Reimann, T. Richmond and H.-J. Güntherodt (Basel, Switzerland)	
Measurements of surface tension on levitated oscillating metallic drops . . . . .	718
K. Eckler, I. Egry and D. M. Herlach (Cologne, F.R.G.)	
Modelling of dendritic growth during ribbon formation in planar flow casting . . . . .	722
A. Ludwig, G. Frommeyer (Dusseldorf, F.R.G.) and L. Gránásy (Budapest, Hungary)	
Thermobaric quenching—A new method for producing metastable states . . . . .	726
E. G. Ponyatovsky and O. I. Barkalov (Moscow, U.S.S.R.)	
Dendrite growth velocities in highly undercooled, dilute Ni-C melts . . . . .	730
K. Eckler, D. M. Herlach (Cologne, F.R.G.), R. G. Hamerton and A. L. Greer (Cambridge, U.K.)	
Pressure-quenched phases in binary B-metal alloys . . . . .	734
V. F. Degtyareva and E. G. Ponyatovsky (Moscow, U.S.S.R.)	
Preparation of ductile Al-Ge soldering foils by PFC technique . . . . .	738
L. Illgen, H. Mühlbach, W. Löser, H.-G. Lindenkreuz and E. Alius (Dresden, F.R.G.), D. Rühlicke and M. Müller (Halsbrucke, F.R.G.)	
Production of rapid quenched copper-based solder using the melt-extraction technique . . . . .	742
V. A. Vassiliev, B. S. Mitin, I. N. Pashkov and I. V. Rodin (Moscow, U.S.S.R.)	
A plant for production of powders, fibres, wires and wire tape at a rate of $10^6 \text{ K s}^{-1}$ . . . . .	746
B. S. Mitin, V. A. Vasiliev and A. A. Scuridin (Moscow, U.S.S.R.)	
Heat transfer in the single roller quenching methods . . . . .	751
L. Gránásy (Budapest, Hungary) and A. Ludwig (Dusseldorf, F.R.G.)	
Analysis of heat transfer in the splat cooling technique . . . . .	755
Ľ. Kubičár (Bratislava, Czechoslovakia)	
Morphological variations in melt-spun Al-Cu alloys . . . . .	758
M. A. Taha, N. A. El-Mahallawy, M. A. Abdel-Ghaffar (Cairo, Egypt) and J. Klaar (Aachen, F.R.G.)	
Preparation and characterization of rapidly quenched $\text{BaO-B}_2\text{O}_3\text{-Fe}_2\text{O}_3$ glass . . . . .	764
Th. Schubert, R. Sellger and M. Jurisch (Dresden, F.R.G.)	
The distribution of heterogeneous nucleants in Al-Cr alloy powders . . . . .	767
N. J. E. Adkins and P. Tsakiropoulos (Guildford, U.K.)	
Preparation of ultra-fine amorphous powders by the chemical reduction method and the properties of their sintered products . . . . .	771
J. Saida (Sakai, Japan), A. Inoue and T. Masumoto (Sendai, Japan)	
Preparation of ultra-fine metallic powders. A study of the structural transformations and of the sintering behaviour . . . . .	775
Y. H. Zhou, M. Harmelin and J. Bigot (Vitry-sur-Seine, France)	
A microstructural study of a $\text{Nd}_{15}\text{Fe}_{77}\text{B}_8$ magnetic alloy produced by liquid dynamic compaction (LDC) . . . . .	780
T. Harada, T. Ando, R. C. O'Handley and N. J. Grant (Cambridge, MA, U.S.A.)	
Formation of glassy spheres of Fe-Ni-P-B by containerless processing . . . . .	785
A. Dunst, D. M. Herlach and F. Gillessen (Cologne, F.R.G.)	



## CONTENTS (continued)

Rapid crystal growth in undercooled Fe-Ni melts . . . . .	790
M. Barth, K. Eckler, D. M. Herlach and H. Alexander (Cologne, F.R.G.)	
Phase seeding in the solidification of an undercooled melt . . . . .	795
D. M. Herlach, B. Feuerbacher and E. Schleip (Cologne, F.R.G.)	
Solidification of $\text{Fe}_{40}\text{Ni}_{40}\text{B}_{20}$ at high undercooling . . . . .	799
S. Vitta, C. S. Proctor, R. F. Cochrane and A. L. Greer (Cambridge, U.K.)	
A competitive growth analysis of phase formation in Al-8wt.%Fe . . . . .	803
R. F. Cochrane, P. V. Evans and A. L. Greer (Cambridge, U.K.)	
Effect of the quenching conditions on the crystallization kinetics and morphology of $\text{Fe}_{65}\text{Co}_{18}\text{B}_{16}\text{Si}_1$ . . . . .	807
M. D. Baró, S. Suriñach, J. A. Diego, M. T. Clavaguera-Mora (Bellaterra, Spain) and N. Clavaguera (Barcelona, Spain)	
Solidification structure of $\text{FeAl}_{25}$ and $\text{FeAl}_{25}\text{B}_{0.05-1}$ (wt.%) ribbons produced by the planar-flow-casting process . . . . .	811
C. Taravel and D. Camel (Grenoble, France)	
Effects of quench rate on the texture in melt-spun Nd-Fe-B alloys . . . . .	819
A. Zaluska, Y. Xu, Z. Altounian and J. O. Strom-Olsen (Montreal, Que., Canada)	
Kinetic aspects of eutectic Fe-Fe <sub>3</sub> C solidification . . . . .	823
E. Lundbäck and Å. Östlund (Stockholm, Sweden)	
Modelling of crystal growth during rapid solidification . . . . .	827
B. Jönsson (Stockholm, Sweden)	
Theoretical investigation of the processes and the microcrystalline ribbon formation by rapid quenching from the melt. . . . .	832
L. A. Anestiev (Sofia, Bulgaria)	
Microstructure of melt-spun $\text{Fe}_{1-x}\text{Si}_x$ alloys ( $0 \leq x \leq 0.5$ ) . . . . .	836
H. Monstadt and E. Hornbogen (Bochum, F.R.G.)	
Effect of secondary cooling on a rapidly solidified stainless steel strip. . . . .	842
M. Yukumoto, S. Miyake, H. Yamane and M. Ozawa (Chiba, Japan)	
Influence of superheat and hammer speed on the formation of metallic glasses . . . . .	846
W. E. Brower Jr. (Milwaukee, WI, U.S.A.) and S. C. Megli (Rio Rancho, NM, U.S.A.)	
Protection of amorphizing alloy Fe-B-Si from oxidation by means of refinery slags . . . . .	850
V. Z. Kopit, A. V. Klimov, V. V. Nikhiforov, V. P. Ovcharov and V. P. Manov (Sverdlovsk, U.S.S.R.)	
Equiaxed microstructure by rapid solidification . . . . .	854
C. Rieker and D. G. Morris (Neuchatel, Switzerland)	

